

Appln. No. Serial No. 09/786,138
 Amdt. Dated 4/24/06
 Second Response in Appln, Reply to Office Action of 11/22/2005
 Page 2 of 10

AMENDMENTS TO THE SPECIFICATION

Please replace paragraph [0015] with the following amended paragraph:

[0015] When the internal status $x(t)$ (where t is a discrete time, $t = 0, 1, 2, \dots$) of the mapping is observed by using an ~~in-phase conversion~~ isomorphic transform and quantization expression

$$Y(t) = 2/\pi \times \arcsin(x(t))^{1/2} \times 2^n \quad \dots(3)$$

$Y(t)$ becomes a rational number, and order is observed in the chaos. An integer is included in the rational number. A quantized resolution n may be selected such that $Y(t)$ becomes an integer. A chaos time-series $Y(t)-t$ includes a fractal structure. The present invention utilizes the characteristics of this. In the following explanation, the ~~in-phase conversion~~ isomorphic transform and quantized value of the quantized resolution n is expressed as $Y_n(t)$.

Please replace paragraph [0016] with the following amended paragraph:

[0016] When an integer $Y(t)$ has been given, this integer can be converted into the original irrational number $x(t)$ by using the following expression that is an ~~inverse conversion~~ transform expression of the expression (3).

$$x(t) = \{\sin \pi Y(t) / 2^{n+1}\}^2 \quad \dots(4)$$

Please replace paragraph [0022] with the following amended paragraphs:

[0022] At step 2, an internal status $x(0)$ that becomes an irrational number is obtained by giving an integer $Y_3(0) = 2$ and $n = 3$ to the ~~inverse conversion~~ transform expression (4) of ~~in-phase conversion~~ isomorphic transform and quantization respectively.

Appln. No. Serial No. 09/786,138
Amdt. Dated 4/24/06
Second Response in Appln, Reply to Office Action of 11/22/2005
Page 3 of 10

Please replace paragraph [0025] with the following amended paragraph:

[0025] At step 5, when the data retroactive to the sixth generation has been obtained, the ~~in-phase conversion~~ isomorphic transform and quantized value of the internal status $x(-6)$ converges to an integer (= 68) plus 0.5000 $\square\square\square$ when the quantized resolution $n = 7$. The internal status $x(0)$ that becomes an irrational number is obtained from the quantized initial value $Y_3(0)$, and the calculation of the inverse calculation expression (5) of the logistic map is executed according to the second bit string $\{y\}_2$. Thus, $Y_7(-6)$ is obtained using the ~~in-phase conversion~~ isomorphic transform and quantization expression (3). In this case, an integer (= 68) (this means a value excluding 0.5) becomes a compressed code.

Please replace paragraph [0029] with the following amended paragraph:

[0029] On the other hand, the expansion processing of a compressed code is a process opposite to the process of generating a compressed code. Therefore, the process opposite to the arrows shown in Fig.1 is carried out. First, an irrational number $x(-6)$ is obtained by the inverse ~~conversion transform~~ expression (4) of ~~in-phase conversion~~ isomorphic transform and quantization of $Y_7(-6)$. In this case, it is necessary to have 0.500 $\square\square\square$ added to the integer.

Please replace paragraph [0030] with the following amended paragraph:

[0030] An internal status value of $x(0)$ is obtained from an irrational number $x(-6)$ by the sequential calculation expressions (1) and (2) of the logical map. During this process, $\{y\}_2$ is restored when $n=1$ of the ~~in-phase conversion~~ isomorphic transform and quantization expression (3) is obtained.

Appln. No. Serial No. 09/786,138

Amdt. Dated 4/24/06

Second Response in Appln, Reply to Office Action of 11/22/2005

Page 4 of 10

Please replace paragraph [0031] with the following amended paragraph:

[0031] In the ~~in-phase conversion~~ isomorphic transform and quantization expression (3) of the quantized initial value $x(0)$, the binary code string three bits of the integer $Y_3(0)$ substituted with $n=3$ is $\{y\}_1$ that is to be restored. The original information $\{y\}_1$ and $\{y\}_2$ can be restored in this way.

Please replace paragraph [0033] with the following amended paragraph:

[0033] In the above embodiment, after the nine-bit information $\{y\} = (010110011)$ has been compressed to a seven-bit compressed code, the original information is obtained by expanding this compressed code. This is one example of carrying out a reversible compression/expansion. It is not possible to decide indiscriminately the precision of the forward and inverse calculations of an irrational number $x(0)$, and calculation precision of the ~~in-phase conversion~~ isomorphic transform and quantization and inverse conversion, or how to select $\{y\}_1$ and $\{y\}_2$ for binary decimal 52 bits. These also depend on the data structure of the information to be compressed.

Please replace paragraph [0034] with the following amended paragraph:

[0034] The ~~in-phase conversion~~ isomorphic transform and quantization of the logistic map is a linear conversion of the integer $Y(t)$ as a result. A fine structure within a linear quantum also keeps a linear relationship. Quanta (integers) are all fair including a complementary relationship. The principle of guaranteeing the complete restoration lies in this.

Appln. No. Serial No. 09/786,138
Amdt. Dated 4/24/06
Second Response in Appln, Reply to Office Action of 11/22/2005
Page 5 of 10

Please replace paragraph [0036] with the following amended paragraph:

[0036] Finding a reversible loop in chaos is a necessary condition for establishing a chaos industrial technology. A chaos block encryption and a chaos stream encryption are examples to which an inter-quantum reversible process has been applied. The reversible compression/expansion using chaos according to the present invention is a chaos industrial technology that has been extended to a correspondence relationship in the quantum fine structure. This is because the nonlinear quantized observation or ~~in-phase conversion~~ isomorphic transform and quantization of the logistic map and the inverse conversion are the measurement of linearity of the internal status as a result.